

**USDA Child and Adult Care Food Program
Child Care Infant Meal Pattern**

AGE	BREAKFAST	LUNCH or SUPPER	SNACK (morning or afternoon)
Birth through 3 Months	4-6 fluid ounces of formula ¹ or breastmilk ^{2,3}	4-6 fluid ounces of formula ¹ or breast milk ^{2,3}	4-6 fluid ounces of formula ¹ or breast milk ^{2,3}
4 through 7 Months	4-8 fluid ounces of formula ¹ or breastmilk ^{2,3} 0-3 tablespoons of infant cereal ^{1,4}	4-8 fluid ounces of formula ¹ or breast milk ^{2,3} ; 0-3 tablespoons of infant cereal ^{1,4} ; and 0-3 tablespoons of fruit or vegetable or both ⁴	4-6 fluid ounces of formula ¹ or breast milk ^{2,3}
8 through 11 Months	6-8 fluid ounces of formula ¹ or breastmilk ^{2,3} ; and 2-4 tablespoons of infant cereal ¹ ; and 1-4 tablespoons of fruit or vegetable or both	6-8 fluid ounces of formula ¹ or breast milk ^{2,3} ; 2-4 tablespoons of infant cereal ¹ ; and/or 1-4 tablespoons of meat, fish, poultry, egg yolk, cooked dry beans or peas; or ½-2 ounces of cheese; or 1-4 ounces (volume) of cottage cheese; or 1-4 ounces (weight) of cheese food or cheese spread; and 1-4 tablespoons of fruit or vegetable or both	2-4 fluid ounces of formula ¹ or breast milk ^{2,3} , or fruit juice ⁵ ; and 0-½ slice bread ^{4,6} or 0-2 crackers ^{4,6}

¹ Infant formula and dry infant cereal must be iron-fortified.

² Breastmilk or formula, or portions of both, may be served; however, it is recommended that breastmilk be served in place of formula from birth through 11 months.

³ For some breastfed infants who regularly consume less than the minimum amount of breastmilk per feeding, a serving of less than the minimum amount of breastmilk may be offered, with additional breastmilk offered if the infant is still hungry.

⁴ A serving of this component is required when the infant is developmentally ready to accept it.

⁵ Fruit juice must be full-strength.

⁶ A serving of this component must be made from whole-grain or enriched meal or flour. The bread or crackers must be suitable for use by infants as finger-food and must not contain any honey. Honey may contain substances that can cause "infant botulism", a type of food-related illness that can make babies very sick.

USDA Child and Adult Care Food Program
Child Care Meal Pattern – Ages 1 through 12 Years

BREAKFAST (Select All Three Components for a Reimbursable Meal)			
Food Components	Ages 1-2	Ages 3-5	Ages 6-12¹
1 milk			
fluid milk	1/2 cup	3/4 cup	1 cup
1 fruit/vegetable			
juice, ² fruit and/or vegetable	1/4 cup	1/2 cup	1/2 cup
1 grains/bread³			
bread, or cornbread or biscuit or roll or muffin, or cold dry cereal, or hot cooked cereal, or pasta or noodles or grains	1/2 slice 1/2 serving 1/4 cup 1/4 cup 1/4 cup	1/2 slice 1/2 serving 1/3 cup 1/4 cup 1/4 cup	1 slice 1 serving 3/4 cup 1/2 cup 1/2 cup

¹ Children age 12 and older may be served larger portions based on their greater food needs. They may not be served less than the minimum quantities listed in this column.

² Fruit or vegetable juice must be full-strength.

³ Breads and grains must be made from whole-grain or enriched meal or flour. Cereal must be whole-grain or enriched or fortified.

LUNCH or SUPPER (Select All Three Components for a Reimbursable Meal)			
Food Components	Ages 1-2	Ages 3-5	Ages 6-12¹
1 milk			
fluid milk	1/2 cup	3/4 cup	1 cup
2 fruits/vegetables			
juice, ² fruit and/or vegetable	1/4 cup	1/2 cup	3/4 cup
1 grains/bread³			
bread, or cornbread or biscuit or roll or muffin, or cold dry cereal, or hot cooked cereal, or pasta or noodles or grains	1/2 slice 1/2 serving 1/4 cup 1/4 cup 1/4 cup	1/2 slice 1/2 serving 1/3 cup 1/4 cup 1/4 cup	1 slice 1 serving 3/4 cup 1/2 cup 1/2 cup
1 meat/meat alternate			
meat or poultry or fish ⁴ , or alternate protein product, or cheese, or egg, or cooked dry beans or peas, or peanut or other nut or seed butters, or nuts and/or seeds ⁵ , or yogurt ⁶	1 oz. 1 oz. 1 oz. 1/2 1/4 cup 2 Tbsp. 1/2 oz. 4 oz.	1½ oz. 1½ oz. 1½ oz. 3/4 3/8 cup 3 Tbsp. 3/4 oz. 6 oz.	2 oz. 2 oz. 2 oz. 1 1/2 cup 4 Tbsp. 1 oz. 8 oz.

¹ Children age 12 and older may be served larger portions based on their greater food needs. They may not be served less than the minimum quantities listed in this column.

² Fruit or vegetable juice must be full-strength.

³ Breads and grains must be made from whole-grain or enriched meal or flour. Cereal must be whole-grain or enriched or fortified.

⁴ A serving consists of the edible portion of cooked lean meat or poultry or fish.

⁵ Nuts and seeds may meet only one-half of the total meat/meat alternate serving and must be combined with another meat/meat alternate to fulfill the lunch or supper requirement.

⁶ Yogurt may be plain or flavored, unsweetened or sweetened.

SNACK (Select Two of the Four Components for a Reimbursable Snack)			
Food Components	Ages 1-2	Ages 3-5	Ages 6-12¹
1 milk fluid milk	1/2 cup	3/4 cup	1 cup
2 fruits/vegetables juice, ² fruit and/or vegetable	1/4 cup	1/2 cup	3/4 cup
1 grains/bread³ bread, or cornbread or biscuit or roll or muffin, or cold dry cereal, or hot cooked cereal, or pasta or noodles or grains	1/2 slice 1/2 serving 1/4 cup 1/4 cup 1/4 cup	1/2 slice 1/2 serving 1/3 cup 1/4 cup 1/4 cup	1 slice 1 serving 3/4 cup 1/2 cup 1/2 cup
1 meat/meat alternate meat or poultry or fish ⁴ , or alternate protein product, or cheese, or egg ⁵ , or cooked dry beans or peas, or peanut or other nut or seed butters, or nuts and/or seeds, or yogurt ⁶	1 oz. 1 oz. 1 oz. 1/2 1/4 cup 2 Tbsp. 1/2 oz. 4 oz.	1½ oz. 1½ oz. 1½ oz. 3/4 3/8 cup 3 Tbsp. 3/4 oz. 6 oz.	2 oz. 2 oz. 2 oz. 1 1/2 cup 4 Tbsp. 1 oz. 8 oz.

¹ Children age 12 and older may be served larger portions based on their greater food needs. They may not be served less than the minimum quantities listed in this column.

² Fruit or vegetable juice must be full-strength. Juice cannot be served when milk is the only other snack component.

³ Breads and grains must be made from whole-grain or enriched meal or flour. Cereal must be whole-grain or enriched or fortified.

⁴ A serving consists of the edible portion of cooked lean meat or poultry or fish.

⁵ One-half egg meets the required minimum amount (one ounce or less) of meat alternate.

Meat/meat alternate to fulfill the lunch or supper requirement.

⁶ Yogurt may be plain or flavored, unsweetened or sweetened.